

NHFD Regional Meeting
Chester, Feb 2010

Transforming the care of older people with hip fractures

David Marsh
Professor of Clinical Orthopaedics, UCL
Co-chair, National Hip Fracture Database

From April 2010

- Reimbursement to Trusts for each case of hip fracture will vary according to the quality of care
- Two criteria will be used
 - Time to theatre less than 36 hours
 - Involvement of orthogeriatrics in the acute phase
- Compliance for each case will be determined from the record in the National Hip Fracture Database

You need all three

This is a great opportunity

- To secure enhanced orthogeriatric input to your fracture service
- To secure better theatre access
- To secure resources to input to the NHFD

But only in 2010 - 2011

What you should aim to take away

- A clear idea of what you are going to aim for in the next 12 months in your own unit

Involvement of an orthogeriatrician in the acute phase

Defined as including ALL of:

- Admitted under the joint care of a Consultant Geriatrician and a Consultant Orthopaedic Surgeon
- Admitted using an assessment protocol agreed by geriatric medicine, orthopaedic surgery and anaesthesia
- Assessed by a Geriatrician (consultant, NCCG, ST3+) within 72 hours of admission
- Postoperative Geriatrician-directed
 - Multiprofessional rehabilitation team
 - Fracture prevention assessments (falls and bone health)

How many ...

- Need more theatre access
- Need more orthogeriatric input
- Need more input to the NHFD
- Have already been approached by senior management about BPT?

**Everything you need is on
www.nhfd.co.uk**

- Regional meetings
- Stanmore Fragility Fracture Course
 - 24-25 March
 - Google RNOH courses
 - Bring geriatricians and nurses