## Falls and Fragility Fracture Audit Programme

# **NHFD Dashboard 2015**

#### John Radcliffe Hospital (RAD)

Figures are hospital average percentages from 2013 and 2014. Data taken from the National Hip Fracture Database.

National Hip Fracture Database lead clinician:


Claire Pulford


| National Hip Fracture Database lead clinician:                  | Claire Pullord |      |              |          |
|---|----------------|------|--------------|----------|
| Ward Management   |                |      |              |          |
|   | 2013           | 2014 | Rating       | Progress |
| Admitted to orthopaedic ward within 4 hours                     | 42.6           | 22.2 | ×            | 1        |
| Mental test score recorded on admission                         | 95.9           | 98.3 | 0            | -        |
| Perioperative medical assessment                                | 88.9           | 96.6 | 4            | 1        |
| Mobilised out of bed on the day after surgery (QS16-9)          | No data        | 37.0 | ×            | _        |
| Received falls assessment (QS16-11)                             | 97.9           | 98.8 |              | -        |
| Received bone health assessment (QS16–12)                       | 98.1           | 99.4 |              | -        |
| Best practice tariff achievement                                | 57.4           | 64.4 | 0            | •        |
| Surgery   |                |      |              |          |
|   | 2013           | 2014 | Rating       | Progress |
| Surgery on day of, or day after, admission                      | 68.0           | 67.2 | 0            | -        |
| Proportion of general anaesthetic with nerve blocks             | 67.8           | 61.1 | 0            | 1        |
| Proportion of spinal anaesthetic with nerve blocks              | 6.5            | 5.4  | ×            | -        |
| Proportion of arthroplasties which are cemented                 | 98.7           | 99.1 | $\checkmark$ | -        |
| Eligible displaced intracapsular fractures treated with THR     | 37.5           | 39.6 | $\checkmark$ | -        |
| Intertrochanteric fractures treated with SHS                    | 92.6           | 91.2 | 0            | -        |
| Subtrochanteric fractures treated with an IM nail               | 65.0           | 76.0 | 0            | •        |
| Outcomes  |                |      |              |          |
|   | 2013           | 2014 | Rating       | Progress |
| Case ascertainment  | No data        | 92.5 |              |          |
| Overall hospital length of stay (days)                          | 15.2           | 14.9 | 4            | -        |
| Return to original residence within 30 days                     | 0.0            | 37.3 | ×            | 1        |
| Developed a pressure ulcer after presentating with hip fracture | 3.1            | 2.0  |              | -        |
| Pressure ulcer status not recorded                              | 4.2            | 6.4  | ×            | -        |
|   |                |      |              |          |

#### Key



Hip fractures which were sustained as an inpatient





No data



Performance improving - Performance broadly unchanged



Performance declining

4.5

## Falls and Fragility Fracture Audit Programme

### **Run Charts**

(Up to date, and interactive versions of all run charts for your hospital can be viewed at www.nhfd.co.uk)

