



NHFD Dashboard Report 2016

Royal Lancaster Infirmary (RLI)

Figures are hospital average percentages from 2014 and 2015. Data taken from the National Hip Fracture Database.

National Hip Fracture Database lead clinician:

Deepak Herlekar

Ward Management

	2014	2015	Rating	Progress
Admitted to orthopaedic ward within 4 hours	64.6	73.4	✓	↑
Mental test score recorded on admission	99.3	98.7	○	-
Perioperative medical assessment	87.1	87.7	○	-
Mobilised out of bed on the day after surgery	83.1	92.0	✓	↑
Received falls assessment	99.2	100.0	○	-
Received bone health assessment	95.0	99.3	○	↑
Best practice tariff achievement	49.7	57.7	○	↑

Surgery

	2014	2015	Rating	Progress
Surgery on day of, or day after, admission	60.5	67.4	✗	↑
Proportion of general anaesthetic with nerve blocks	55.8	65.7	○	↑
Proportion of spinal anaesthetic with nerve blocks	21.3	7.6	✗	↓
Proportion of arthroplasties which are cemented	56.4	50.0	✗	↓
Eligible displaced intracapsular fractures treated with THR	36.0	37.7	✓	-
Intertrochanteric fractures treated with SHS	89.8	81.0	○	↓
Subtrochanteric fractures treated with an IM nail	25.0	77.8	○	↑

Outcomes

	2014	2015	Rating	Progress
Case ascertainment	83.4	83.1	✗	-
Overall hospital length of stay (days)	25.4	28.1	✗	↓
Return to original residence within 30 days	48.5	52.7	○	↑
Documented not to have developed a pressure ulcer	98.3	97.6	○	-
Documented final discharge destination	78.6	87.4	○	↑
Crude 30-day mortality rate	10.0	6.1	○	↑
Adjusted 30-day mortality rate	10.2	7.3	○	↑

Key

- ✓ Top quartile ○ 2nd and 3rd quartile ✗ Lowest quartile/ poor performance
 ↑ Performance improving - Performance broadly unchanged ↓ Performance declining

Run Charts

(Up to date, and interactive versions of all run charts for your hospital can be viewed at www.nhfd.co.uk)

Overall Performance - RLI, Royal Lancaster Infirmary

